

August 16, 2019

Attention: Gaurang Trivedi
JAY JAGDAMBA LIMITED
GUT NO.92/3,422,423,424,VILLAGE
ABITGHAR,SHIRISPADA-SHAHPUR RD
TALUKA WADA, PALGHAR, 421 303

The design submission, tracking number 2019-01803, originally received on March 13, 2019 was surveyed and accepted for registration as follows:

CRN : 0B19921.2 **Accepted on:** August 16, 2019
Reg Type: NEW DESIGN **Expiry Date:** August 16, 2029
Drawing No. : ANNEXTURE TO STATUTORY DECLARATION As Noted
Fitting type: ASME B16.5 & B16.47 FLANGES

The registration is conditional on your compliance with the following notes:

*** The flange material of A182 F316Ti is not included as par of this registration.

As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction are B16.5 and B16.47.

- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3337 or fax (780) 437-7787 or e-mail Dick@absa.ca.

Sincerely,



DICK, ASHLING, P. Eng.
DOP Cert. No. D00007936

(Formerly Known as Jay Jagdamba Profile Engineering Products Limited)
 (Formerly Known as Shree Jay Jagdamba Stainless Steel Limited)
 An ISO 14001:2015 and AD2000 Markblatt WO and PED Certified Company
 CIN: U27100MH2004PLC144137

ANNEXTURE TO STATUTORY DECLARATION

SIZE RAGE OF FLANGES MANUFACTURED

We manufactures Flanges according specifications B16.5 and B16.47.
 The complete size range are given below -

Specification Latest Edition)	Flanges Type	Pressure Class	Size Range
ASME/ANSI B16.5	Blind	150 LBS	1/2" to 24"
		300 LBS	1/2" to 24"
		400 LBS	1/2" to 24"
		600 LBS	1/2" to 24"
		900 LBS	1/2" to 20"
		1500 LBS	1/2" to 16"
		2500 LBS	1/2" to 12"
	Weld Neck	150 LBS	1/2" to 24"
		300 LBS	1/2" to 24"
		400 LBS	1/2" to 24"
		600 LBS	1/2" to 24"
		900 LBS	1/2" to 20"
		1500 LBS	1/2" to 16"
		2500 LBS	1/2" to 12"
	Slip-on	150 LBS	1/2" to 24"
		300 LBS	1/2" to 24"
		400 LBS	1/2" to 24"
		600 LBS	1/2" to 24"
		900 LBS	1/2" to 20"
		1500 LBS	1/2" to 2.1/2"
	Socket Weld	150 LBS	1/2" to 3"
		300 LBS	1/2" to 3"
		600 LBS	1/2" to 3"
		1500 LBS	1/2" to 2.1/2"
	Lap Joint	150 LBS	1/2" to 24"
		300 LBS	1/2" to 24"
		400 LBS	1/2" to 24"
		600 LBS	1/2" to 24"
		900 LBS	1/2" to 20"
		1500 LBS	1/2" to 16"
		2500 LBS	1/2" to 12"
	Threaded	150 LBS	1/2" to 24"
		300 LBS	1/2" to 24"
		400 LBS	1/2" to 24"
		600 LBS	1/2" to 24"
		900 LBS	1/2" to 20"
		1500 LBS	1/2" to 2.1/2"
		2500 LBS	1/2" to 2.1/2"


Corporate Office:


Office No. 405, The Landmark, Plot No. 26A, Sector 7, Kharghar, Navi Mumbai - 410 210, India.
 Tel.: 022-2776 3506 Fax: 022-27763507 Email: info@jayjagdamba.com Website: www.jayjagdamba.com

Works:

Gut No. 92/3, 422, 423, 424, Village Abitghar, Shirispada - Sahapur Road, Taluka - Wada, Dist.: Palghar-421 407, Maharashtra, India.

Registered Office:





JAY JAGDAMBA LIMITED

(Formerly Known as Jay Jagdamba Profile Engineering Products Limited)
(Formerly Known as Shree Jay Jagdamba Stainless Steel Limited)
An ISO 14001:2015 and AD2000 Markblatt WO and PED Certified Company
CIN: U27100MH2004PLC144137

Specification (Latest Edition)	Flanges Type	Pressure Class	Size Range
ASME/ANSI B16.47	Series A Blind, Weld Neck	150 LBS	26" to 60"
		300 LBS	26" to 48"
		400 LBS	26" to 30"
		600 LBS	26" to 30"
	Series B Blind, Weld Neck	75 LBS	26" to 60"
		150 LBS	26" to 60"
		300 LBS	26" to 48"
		400 LBS	26" to 30"
		600 LBS	26" to 30"

Stainless Steel Materials:

ASTM : A182/182M
GRADES : F304/304L, F304H, F316/316L, F316H, ~~F316Ti~~, F321, F321H, F317L, F347, F347H
: Duplex – F51- 1.4462 – UNS S31803
: Super Duplex – F53 – 1.4410 – UNS S532750

AD.



"See Annexure Letter for the comments and/or conditions of registration"

ABSA
SAFETY CODES ACT - PROVINCE OF ALBERTA
REGISTRATION OF FITTINGS
REGISTRATION NO. **0B19921.2**
DWG. NO or CAT. NO. *Annexure to Statutory Regulation*
TYPE OF FITTINGS *B16.5 + B16.47 Flanges*
AUG 16 2019
Date INITIALS *TMD*
T. M. (ASHLING) DICK, P.ENG
DESIGN SURVEY ENGINEER

Corporate Office:

Office No. 405, The Landmark, Plot No. 26A, Sector 7, Kharghar, Navi Mumbai - 410 210. India.
Tel.: 022-2776 3506 Fax: 022-27763507 Email: info@jayjagdamba.com Website: www.jayjagdamba.com

Works:

Gut No. 92/3, 422, 423, 424, Village Abitghar, Shirispada - Sahapur Road, Taluka - Wada, Dist.: Palghar- 421 303. Maharashtra, India.

Registered Office:

**STATUTORY DECLARATION
Registration of Fittings**

JAGDAMBA



I, Gaurang Trivedi, CEO
(name of applicant) (position title) (must be in a position of authority)
of Jay Jagdamba Limited
(name of manufacturer)
located at Taluka Wada, Dist. Palghar-421 303, Maharashtra, India
(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- ☒ comply with the requirements of ASME - B16.5 AND B16.47 which specifies the dimensions,
(title of recognized North American Standard)
materials of construction, pressure/temperature ratings and identification marking of the fittings, or
☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured
to comply with _____ as supported by the attached
(title of code of construction or other applicable document)
data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis
for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been
verified by the following authority, TÜV Rheinland as being suitable for the manufacture of these
fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are

CATEGORY-B FLANGES

(brief description of fittings)


In support of this application, the following information, calculations and/or test data are attached:

DRAWINGS AND DIMENSIONAL TABLES FOR STATED STANDARDS

DECLARED before me at _____ in the _____ of _____
(city) (province or state)
this _____ day of _____,
(Month) (Year)

(print) _____
(a Commissioner of Oaths or Notary Public)

(sign) _____
(a Commissioner of Oaths or Notary Public)



(signature of applicant)

For ABSA Office Use Only:

NOTES: *see Annexure to Statutory Declaration


To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA
Standard B51, Clause 4.2, and is accepted for registration in Category 'B'

Registration Number: 0B19921.2

(Signature of the Administrator/SCO)

Expiry Date: Aug 16, 2029

is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the
ne.



BEFORE ME
AUG 16 2019
S. M. H. ZAIDI
NOTARY
Government of India
Mumbai & Thane Dist.
14 FEB 2019

NOTED & REGISTERED
222
14 FEB 2019



345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

August 28, 2019

CYNTHIA FORMANIUK
ALBERTA BOILERS SAFETY ASSOCIATION
9410-20 AVENUE
EDMONTON AB T6N 0A4
CA

Service Request Type: BPV-Fitting Registration
Service Request No.: 2549162
Your Reference No.: 2019-01803 - HARMONIZED
Registered to: JAY JAGDAMBA LIMITED

Dear CYNTHIA FORMANIUK,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.: 0B19921.25

Main Design No.: FLANGES B16.5, B16.47 - SEE SCOPE OF REGISTRATION
Expiry Date: 16-Aug-2029

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Liliana Constantinescu
Tel. : 416-734-3425
lconstantinescu@tssa.org

STATUTORY DECLARATION
Registration of Fittings

JAGDAMBA



I, Gaurang Trivedi, CEO
(name of applicant) (position title) (must be in a position of authority)
of Jay Jagdamba Limited
(name of manufacturer)
located at Taluka Wada, Dist. Palghar-421 303, Maharashtra, India
(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- ☒ comply with the requirements of ASME - B16.5 AND B16.47 which specifies the dimensions, (title of recognized North American Standard)
materials of construction, pressure/temperature ratings and identification marking of the fittings, or
☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached (title of code of construction or other applicable document)
data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, TÜV Rheinland as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are

CATEGORY-B FLANGES

(brief description of fittings)

In support of this application, the following information, calculations and/or test data are attached:

DRAWINGS AND DIMENSIONAL TABLES FOR STATED STANDARDS

Boilers and Pressure Vessels Safety Program
Standards and Safety Authority

DECLARED before me at _____ in the _____ of _____ (city) (province or state)

this _____ day of _____ (Month) (Year)

(print) _____
(a Commissioner of Oaths or Notary Public)

(sign) _____
(a Commissioner of Oaths or Notary Public)

REGISTERED

C.R.N.: 0B19921.25

Signed: ll

Date: August 28, 2019.

(signature of applicant)

For ABSA Office Use Only:

NOTES: SEE STAMPED ANNEXTURE TO STATUTORY DECLARATION DOCUMENT FOR SCOPE OF REGISTRATION

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category B




Registration Number: 0B19921.25

(Signature of the Administrator/SCO)

AUG-28, 2019

Expiry Date: AUG 16, 2029

is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the ne.





JAY JAGDAMBA LIMITED

(Formerly Known as Jay Jagdamba Profile Engineering Products Limited)
(Formerly Known as Shree Jay Jagdamba Stainless Steel Limited)
An ISO 14001:2015 and AD2000 Markblatt WO and PED Certified Company
CIN: U27100MH2004PLC144137

ANNEXTURE TO STATUTORY DECLARATION

SIZE RAGE OF FLANGES MANUFACTURED

We manufactures Flanges according specifications B16.5 and B16.47.
The complete size range are given below -

Specification Latest Edition)	Flanges Type	Pressure Class	Size Range
THIS IS PART OF CRN OB19921.25 Technical Standards and Safety Authority Boilers and Pressure Vessels Safety Program ASME/ANSI B16.5	Blind	150 LBS	1/2" to 24"
		300 LBS	1/2" to 24"
		400 LBS	1/2" to 24"
		600 LBS	1/2" to 24"
		900 LBS	1/2" to 20"
		1500 LBS	1/2" to 16"
		2500 LBS	1/2" to 12"
	Weld Neck	150 LBS	1/2" to 24"
		300 LBS	1/2" to 24"
		400 LBS	1/2" to 24"
		600 LBS	1/2" to 24"
		900 LBS	1/2" to 20"
		1500 LBS	1/2" to 16"
		2500 LBS	1/2" to 12"
	Slip-on	150 LBS	1/2" to 24"
		300 LBS	1/2" to 24"
		400 LBS	1/2" to 24"
		600 LBS	1/2" to 24"
		900 LBS	1/2" to 20"
		1500 LBS	1/2" to 2.1/2"
	Socket Weld	150 LBS	1/2" to 3"
		300 LBS	1/2" to 3"
		600 LBS	1/2" to 3"
		1500 LBS	1/2" to 2.1/2"
	Lap Joint	150 LBS	1/2" to 24"
		300 LBS	1/2" to 24"
		400 LBS	1/2" to 24"
		600 LBS	1/2" to 24"
		900 LBS	1/2" to 20"
		1500 LBS	1/2" to 16"
		2500 LBS	1/2" to 12"
	Threaded	150 LBS	1/2" to 24"
		300 LBS	1/2" to 24"
		400 LBS	1/2" to 24"
		600 LBS	1/2" to 24"
		900 LBS	1/2" to 20"
		1500 LBS	1/2" to 2.1/2"
		2500 LBS	1/2" to 2.1/2"

Corporate Office:

Office No. 405, The Landmark, Plot No. 26A, Sector 7, Kharghar, Navi Mumbai - 410 210, India.
Tel.: 022-2776 3506 Fax: 022-27763507 Email: info@jayjagdamba.com Website: www.jayjagdamba.com

Works:

Gut No. 92/3, 422, 423, 424, Village Abitghar, Shirispada - Sahapur Road, Taluka - Wada, Dist.: Palghar- 421 403, Maharashtra, India.

Registered Office:





TM

JAY JAGDAMBA LIMITED

(Formerly Known as Jay Jagdamba Profile Engineering Products Limited)
(Formerly Known as Shree Jay Jagdamba Stainless Steel Limited)
An ISO 14001:2015 and AD2000 Markblatt WO and PED Certified Company
CIN: U27100MH2004PLC144137

Specification Latest Edition)	Flanges Type	Pressure Class	Size Range
ASME/ANSI B16.47	Series A Blind,Weld Neck	150 LBS	26" to 60"
		300 LBS	26" to 48"
		400 LBS	26" to 30"
		600 LBS	26" to 30"
	Series B Blind,Weld Neck	75 LBS	26" to 60"
		150 LBS	26" to 60"
		300 LBS	26" to 48"
		400 LBS	26" to 30"
		600 LBS	26" to 30"

Stainless Steel Materials:

ASTM : A182/182M
GRADES : F304/304L, F304H, F316/316L, F316H, F316TI, F321, F321H, F317L,
F347, F347H
: Duplex – F51- 1.4462 – UNS S31803
: Super Duplex – F53 – 1.4410 – UNS S532750



**THIS IS PART OF CRN
0B19921.25**

Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

Corporate Office:

Office No. 405, The Landmark, Plot No. 26A, Sector 7, Kharghar, Navi Mumbai - 410 210. India.
Tel.: 022-2776 3506 Fax: 022-27763507 Email: info@jayjagdamba.com Website: www.jayjagdamba.com

Works:

Gut No. 92/3, 422, 423, 424, Village Abitghar, Shirispada - Sahapur Road, Taluka - Wada, Dist.: Palghar- 421 303. Maharashtra, India.

Registered Office:

REGISTRATION OF A PRESSURE FITTING DESIGN

23-Aug-19

ABSA
9410 20th Avenue NW
Edmonton, AB
T6N 0A4**Attention: Cynthia Formaniuk****File Number: 11198 [0 F]****Re: Manufacturer: Jay Jagdamba Limited**
Item: ASME B16.5 & B16.47 Flanges
Catalog or Drawing: Annexure to Statutory Declaration

TSASK Codes and Standards Compliance has registered the design listed above in accordance with The Boiler and Pressure Vessel Act and Regulations and CSA B51. The Canadian Registration Number (CRN) is:

OB19921.23 Expiry Date: August 23, 2029

Please note that every fitting shall be constructed in strict accordance with the registered design.

Fitting registrations are required to be resubmitted for validation after ten (10) years from the registration date in accordance with CSA B51, Clause 4.2.1.

Should you require anything further, please do not hesitate to contact the Codes and Standards Compliance Office at your convenience.

Yours truly,

Williams Uju, P.Eng.
Codes and Standards Compliance**Remarks:**

CRN registered under reciprocal agreement and conditional upon compliance with the notes on the original registration.

Technical Safety Authority of Saskatchewan
Registration No. 0B19921.23
File No. 11198
Registered
Date: August 23, 2019
Expiry Date: August 16, 2029

ABSA
the pressure equipment safety authority
AB-41 2016-01

**STATUTORY DECLARATION
Registration of Fittings**

JAGDAMBA



I, Gaurang Trivedi, CEO
Codes & Standards Compliance Office (name of applicant) (position title) (must be in a position of authority)
of Jay Jagdamba Limited
(name of manufacturer)

located at Taluka Wada, Dist. Palghar-421 303, Maharashtra, India
(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- ☒ comply with the requirements of ASME - B16.5 AND B16.47 which specifies the dimensions, (title of recognized North American Standard)
materials of construction, pressure/temperature ratings and identification marking of the fittings, or
☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached (title of code of construction or other applicable document)
data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, TÜV Rheinland as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are

CATEGORY-B FLANGES

(brief description of fittings)

In support of this application, the following information, calculations and/or test data are attached:

DRAWINGS AND DIMENSIONAL TABLES FOR STATED STANDARDS

DECLARED before me at _____ in the _____ of _____
(city) (province or state)
this _____ day of _____, _____
(Month) (Year)

(print) _____
(a Commissioner of Oaths or Notary Public)
(sign) S. M. H. ZAIDI
(a Commissioner of Oaths or Notary Public)

Signature of applicant
(signature of applicant)

For ABSA Office Use Only:

NOTES: *see Annexure to Statutory Declaration



To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category 'B'

Registration Number: 0B19921.2
BEFORE ME
AUG 16 2019
NOTARY
Government of India
Mumbai & Thane Dist
14 FEB 2019

(Signature of the Administrator/SCO)

Expiry Date: Aug 16, 2029

is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the ne.





JAY JAGDAMBA LIMITED

(Formerly Known as Jay Jagdamba Profile Engineering Products Limited)
(Formerly Known as Shree Jay Jagdamba Stainless Steel Limited)
An ISO 14001:2015 and AD2000 Markblatt WO and PED Certified Company
CIN: U27100MH2004PLC144137

Technical Safety Authority
of Saskatchewan

Registration No. 0B19921.23

File No. 11198

Registered

Date: August 23, 2019

Expiry Date: August 15, 2029

Codes & Standards Compliance Office

ANNEXTURE TO STATUTORY DECLARATION

SIZE RANGE OF FLANGES MANUFACTURED

We manufacture Flanges according to specifications B16.5 and B16.47.
The complete size range are given below -

Specification (Latest Edition)	Flanges Type	Pressure Class	Size Range
ASME/ANSI B16.5	Blind	150 LBS	1/2" to 24"
		300 LBS	1/2" to 24"
		400 LBS	1/2" to 24"
		600 LBS	1/2" to 24"
		900 LBS	1/2" to 20"
		1500 LBS	1/2" to 16"
		2500 LBS	1/2" to 12"
	Weld Neck	150 LBS	1/2" to 24"
		300 LBS	1/2" to 24"
		400 LBS	1/2" to 24"
		600 LBS	1/2" to 24"
		900 LBS	1/2" to 20"
		1500 LBS	1/2" to 16"
		2500 LBS	1/2" to 12"
	Slip-on	150 LBS	1/2" to 24"
		300 LBS	1/2" to 24"
		400 LBS	1/2" to 24"
		600 LBS	1/2" to 24"
		900 LBS	1/2" to 20"
		1500 LBS	1/2" to 2.1/2"
	Socket Weld	150 LBS	1/2" to 3"
		300 LBS	1/2" to 3"
		600 LBS	1/2" to 3"
		1500 LBS	1/2" to 2.1/2"
	Lap Joint	150 LBS	1/2" to 24"
		300 LBS	1/2" to 24"
		400 LBS	1/2" to 24"
		600 LBS	1/2" to 24"
		900 LBS	1/2" to 20"
		1500 LBS	1/2" to 16"
		2500 LBS	1/2" to 12"
	Threaded	150 LBS	1/2" to 24"
		300 LBS	1/2" to 24"
		400 LBS	1/2" to 24"
		600 LBS	1/2" to 24"
		900 LBS	1/2" to 20"
		1500 LBS	1/2" to 2.1/2"
		2500 LBS	1/2" to 2.1/2"

Corporate Office:

Office No. 405, The Landmark, Plot No. 26A, Sector 7, Kharghar, Navi Mumbai - 410 210, India.
Tel.: 022-2776 3506 Fax: 022-27763507 Email: info@jayjagdamba.com Website: www.jayjagdamba.com

Works:

Gut No. 92/3, 422, 423, 424, Village Abitghar, Shirispada - Sahapur Road, Taluka - Wada, Dist.: Palghar- 421 403, Maharashtra, India.

Registered Office:





JAY JAGDAMBA LIMITED

(Formerly Known as Jay Jagdamba Profile Engineering Products Limited)
(Formerly Known as Shree Jay Jagdamba Stainless Steel Limited)
An ISO 14001:2015 and AD2000 Markblatt WO and PED Certified Company
CIN: U27100MH2004PLC144137

Specification Latest Edition)	Flanges Type	Pressure Class	Size Range
ASME/ANSI B16.47	Series A Blind,Weld Neck	150 LBS	26" to 60"
		300 LBS	26" to 48"
		400 LBS	26" to 30"
		600 LBS	26" to 30"
	Series B Blind,Weld Neck	75 LBS	26" to 60"
		150 LBS	26" to 60"
		300 LBS	26" to 48"
		400 LBS	26" to 30"
		600 LBS	26" to 30"

Stainless Steel Materials:

ASTM : A182/182M
GRADES : F304/304L, F304H, F316/316L, F316H, F316TI, F321, F321H, F317L, F347, F347H
: Duplex – F51- 1.4462 – UNS S31803
: Super Duplex – F53 – 1.4410 – UNS S532750



**Technical
Safety Authority
of Saskatchewan**

Registration No. 0B19921.23

File No. 11198

Registered

Date: August 23, 2019

Expiry Date: August 16, 2029

Codes & Standards Compliance Office

Corporate Office:

Office No. 405, The Landmark, Plot No. 26A, Sector 7, Kharghar, Navi Mumbai - 410 210. India.
Tel.: 022-2776 3506 Fax: 022-27763507 Email: info@jayjagdamba.com Website: www.jayjagdamba.com

Works:

Gut No. 92/3, 422, 423, 424, Village Abitghar, Shirispada - Sahapur Road, Taluka - Wada, Dist.: Palghar- 421 303. Maharashtra, India.

Registered Office:

Montréal, August 27, 2019

MRS. CYNTHIA FORMANIUK
ABSA
9410 - 20 AVENUE N.W.
EDMONTON ALBERTA
CANADA T6N 0A4

Manufacturer : JAY JAGDAMBA LTD
303 TALUKA WADA
DIST. PALGHAR-421 MAHARASHTRA
INDIA

Our reference : 952726
Design number : CATEGORY B FLANGES
Ref.# 2019-01803

Subject: Registration of designs – Confirmation of approval

Dear Madam:

The Régie du bâtiment du Québec (RBQ) informs you that your application for the registration of designs has been evaluated and that the design was registered under the Canadian Registration Number (CRN\NEC) : 0B19921.26

We bring your attention this requirement of the regulation respecting pressure vessels, and the codes and standards adopted :

- The manufacturer must maintain a valid quality control program to produce according to the CRN.

This notice of approval does not relieve the constructor of his responsibilities with respect to the design or construction of equipment manufactured according to this CRN.

Yours sincerely,

Bureau d'expertise et d'homologation en équipements sous pression

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Jay Jagdamba Limited
Manufacturers Address: Gut No 92/3, 422, 423, 424, Village Abitghar, Shirispada- Shanapur road, Taluka Wada, Palghar-421 303 Taluka
Plant Locations: Wada, Dist Palghar-421 303, Maharashtra, India

Category of Fittings to be registered. Circle one Category only
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
B Flanges: all flanges
C Valves: all line valves
D Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel gas plugs
H Pressure retaining components that do not fall into one of the above categories
N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Title of the Standard of Construction
B16.5
B16.47

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

JAGDAMBA



Type of Construction
Forged ☒ Welded ☐ Wrought ☐
Cast ☐ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

1. ISO 9001:2015 Certificate
2. PED Directive 2014/68/EU
3. AD 2000-Merkblatt W0
4. Dimensional Charts/Drawings as stated standard

Declaration:
I, Gaurang Trivedi (see note 3) employed by Jay Jagdamba Limited and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control program which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV Rheinland as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer:

Declared before me at

This 14 day of Feb

Commissioner of Oaths

Or Notary Public: (sign)



NUNAVUT

Boilers and Pressure Vessels Act

REGISTERED
CRN OB19921.2N
Date Sept 27, 2019
Signed


CRN: OB19921.2
FID#: 15849

- Notes:
1. All Fittings shall be registered in the name of the Manufacturer
 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation
 3. The Declaration shall be made by the person having authority and responsibility for the quality of the end product
 4. Quality Control programs shall be resubmitted for validation

CRN EXPIRES AUG 16, 2029 D.G.

NOTED & REGISTERED
2214
14 FEB 2019

Chief Inspector
Territorial Registration Fee
NOTARY
Government of India
Mumbai & Thane Dist
14 FEB 2019



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Jay Jagdamba Limited

Manufacturers Address: Gut No.92/3, 422, 423, 424, Village Abitghar, Shirispada- Shahapur road, Taluka Wada, Palghar-421 303 Taluka

Plant Locations: Wada, Dist. Palghar-421 303, Maharashtra, India

Category of Fittings to be registered. Circle one Category only

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories

N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

JAGDAMBA



Title of the Standard of Construction

B16.5
B16.47

Type of Construction

Forged ☒ Welded ☐ Wrought ☐
Cast ☐ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

1. ISO 9001:2015 Certificate
2. PED Directive 2014/68/EU
3. AD 2000-Merkblatt W0
4. Dimensional Charts/Drawings as stated standard

Declaration:

I, Gaurang Trivedi (see note 3) employed by Jay Jagdamba Limited, and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control program which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV Rheinland as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

Declared before me at

This 14 day of Feb 2019

Commissioner of Oaths

Or Notary Public: (sign)

Use this space for the Official Seal

(Affix Official seal to the right)

CRN: OB19921.2

FID#: 15849

Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

11/2016

CRN EXPIRES AUG.16, 2029-D.G.

NOTED & REGISTERED

Sr. No. 2214 No. 1

Date 14 FEB 2019

CRN OB19921.2Y

DATE 10/01/2019

BEFORE ME



S. M. H. ZAIDI

NOTARY PUBLIC

Government of India

Mumbai & Thane Dist

14 FEB 2019



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
NunavutNova Scotia
YukonPrince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Jay Jagdamba Limited

Manufacturers Address: Gut No.92/3, 422, 423, 424, Village Abithgar, Shirispada- Shahapur road, Taluka Wada, Palghar-421 303 Taluka Wada, Dist. Palghar-421 303, Maharashtra, India

Plant Locations: Wada, Dist. Palghar-421 303, Maharashtra, India

Category of Fittings to be registered. Circle one Category only

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories

N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Show Manufacturers Name, Trademark or Logo as it will appear on the product

JAGDAMBA



Title of the Standard of Construction

B16.5
B16.47

Type of Construction

Forged ☒ Welded ☐ Wrought ☐
 Cast ☐ Other ☐
 Describe other:

List of supporting documentation and identification of the actual items to be registered:

1. ISO 9001:2015 Certificate
2. PED Directive 2014/68/EU
3. AD 2000-Merkblatt W0
4. Dimensional Charts/Drawings as stated standard

Declaration:

I, Gaurang Trivedi (see note 3) employed by Jay Jagdamba Limited, and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control program which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV Rheinland as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing the full force and effect as if made under oath.

Signature of Declarer: _____

Declared before me at _____

This 14 day of Feb AD 2019

Commissioner of Oaths

Or Notary Public: (sign) _____

(After Official Seal to the right)

Use this space for the Official Seal

Newfoundland
Labrador

Service NL

Date

Engineering and Inspection Services

Registered by

UNDER THE AUTHORITY OF THE
PUBLIC SAFETY ACT AND
REGULATIONS
GOVERNMENT OF CANADA

S. M. H. ZAIDI
NOTARY PUBLIC
Government of India
Mumbai & Thane Dist

14 FEB 2019

CRN: 0B19921.2

FID#: 15849

Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

11/2016

CRN EXPIRES AUG.14, 2029-D.G.

NOTED & REGISTERED

Sr. No. 2234 No. _____

Date 14 FEB 2019



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Jay Jagdamba Limited Manufacturers Address: Gut No.92/3, 422, 423, 424, Village Abtighar, Shirispada- Shahapur road, Taluka Wada, Palghar-421 303 Taluka Wada, Dist. Palghar-421 303, Maharashtra, India Plant Locations: Wada, Dist. Palghar-421 303, Maharashtra, India	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel gas plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction B16.5 B16.47
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	Type of Construction Forged ☒ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other:
List of supporting documentation and identification of the actual items to be registered: 1. ISO 9001:2015 Certificate 2. PED Directive 2014/68/EU 3. AD 2000-Merkblatt W0 4. Dimensional Charts/Drawings as stated standard	

Declaration:
 I, Gaurang Trivedi (see note 3) employed by Jay Jagdamba Limited, and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control program which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV Rheinland as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing the full force and effect as if made under oath.

Signature of Declarer: _____

Declared before me at _____

This 14 day of Feb AD 2019

Commissioner of Oaths

Or Notary Public: (sign) _____

Use this space for the Official Seal

PROVINCE OF PRINCE EDWARD ISLAND

COMMUNITY AND ENVIRONMENT

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0B19921.2
 FID#: 15849
 C.R.N. 0B19921.29
 DATE: Sept 30 2019

NOTES:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

11/2016
 SEN EXPIRES AUG 16, 2029-D.G.

NOTED & REGISTERED
 Sr. No. 2214 No. _____
 Date 14 FEB 2019

INSPECTION SERVICES SECTION
BOILER ROOM BRANCH

NOTARY PUBLIC
S. M. H. ZAIDI
 Government of India
 Mumbai & Thane Dist

NOTARY
 S. M. H. ZAIDI
 Reg. No. 3640
 Govt. of India

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS


New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Jay Jagdamba Limited</u>	
Manufacturers Address: <u>Gut No.92/3, 422, 423, 424, Village Abitghar, Shrispada-Shahapur road, Taluka Wada, Palghar-421 303 Taluka</u>	
Plant Locations: <u>Wada, Dist. Palghar-421 303, Maharashtra, India</u>	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction B16.5 B16.47
Show Manufacturers Name, Trademark, or Logo as it will appear on the product JAGDAMBA 	Type of Construction Forged ☒ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other:
List of supporting documentation and identification of the actual items to be registered: 1. ISO 9001:2015 Certificate 2. PED Directive 2014/68/EU 3. AD 2000-Merkblatt W0 4. Dimensional Charts/Drawings as stated standard	



Declaration:

I, Gaurang Trivedi (see note 3) employed by Jay Jagdamba Limited, and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control program which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV Rheinland as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing the full force and effect as if made under oath.

Signature of Declarer: _____

Declared before me at Mumbai

This 14 day of Feb. AD 2019

Commissioner of Oaths

Or Notary Public: (sign) S. M. H. Zaidi

(Affix Official seal to the right)

Use this space for the Official Seal

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OB19921.2

FID#: 15849

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

11/2018

CEN EXPIRES AUG.16, 2029-D.G.

NOTED & REGISTERED

Sr. No. 2274 No. _____

Date 14 FEB 2019


BEFORE ME

S. M. H. ZAIDI

NOTARY PUBLIC

Government of India

Mumbai & Thane Dist




UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Jay Jagdamba Limited	
Manufacturers Address: Gut No.92/3, 422, 423, 424, Village Abitghar, Shirispada- Shahapur road, Taluka Wada, Palghar-421 303 Taluka	
Plant Locations: Wada, Dist.Palghar-421 303, Maharashtra, India	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers ☒ B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction B16.5 B16.47
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	
Type of Construction Forged ☒ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other:	

List of supporting documentation and identification of the actual items to be registered:

1. ISO 9001:2015 Certificate
2. PED Directive 2014/68/EU
3. AD 2000-Merkblatt W0
4. Dimensional Charts/Drawings as stated standard

Declaration:

I, Gaurang Trivedi (see note 3) employed by Jay Jagdamba Limited, and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control program which extends to each plant where fabrication, wholly or in part and has been verified by TUV Rheinland as being suitable for that purpose. I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: _____

Declared before me at _____

This 14 day of Feb AD 2019

Commissioner of Oaths

Or Notary Public: (sign) _____

(Affix Official seal to the right)

DEPT OF JUSTICE PUBLIC SAFETY
BOILER & PRESSURE VESSEL ACT

REGISTRATION ONLY

Use this space for the Official Seal

CRN 0B19921.27

CRN: 0B19921.2

FID#: 15849

Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

11/2016


CRN EXPIRES AUG 16, 2029-D.G.

NOTED & REGISTERED

Sr. No. 2214 No. _____
Date 14 FEB 2019

BEFORE ME
S. M. H. ZAIDI
 NOTARY
 Government of India
 Mumbai & Thane Dist

14 FEB 2019



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Jay Jagdamba Limited	
Manufacturers Address: Gut No.92/3, 422, 423, 424, Village Abitghar, Shirispada- Shahapur road, Taluka Wada, Palghar-421 303 Taluka	
Plant Locations: Wada, Dist. Palghar-421 303, Maharashtra, India	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction B16.5 B16.47
Show Manufacturers Name, Trademark, or Logo as it will appear on the product	
JAGDAMBA 	Type of Construction Forged ☒ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other:

List of supporting documentation and identification of the actual items to be registered:

1. ISO 9001:2015 Certificate
2. PED Directive 2014/68/EU
3. AD 2000-Merkblatt W0
4. Dimensional Charts/Drawings as stated standard

Declaration:
I, Gaurang Trivedi (see note 3) employed by Jay Jagdamba Limited, and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control system which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV Rheinland as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the effect of law and effect as if made under oath.

Signature of Declarer: _____

Declared before me at Mumbai

This 14 day of Feb AD 2019

Commissioner of Oaths

Or Notary Public: (sign) _____

(Affix Official Seal to the right)

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0819921.2

FID#: 15849

Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

11/2016

CRN EXPIRES AUG.16, 2029-D.G.

NOTED & REGISTERED

Sr. No. 2214 No. 15849

Date: 14 FEB 2019

REGISTERED
UNDER THE AUTHORITY OF
THE BOILER AND PRESSURE
VESSEL ACT.

C.R.N.0819921.21

SIGNED

DATE 14 FEB 2019
BEFORE ME

S. M. H. ZAIDI

NOTARY PUBLIC


Government of India

Mumbai & Thane Dist

14 FEB 2019

Use this space for the Official Seal

76300





DIRECTIVE

EXEMPTION FROM REGISTRATION REQUIREMENTS FOR CATEGORY A, B, C, AND G CATEGORY FITTINGS

This Directive is being issued by a provincial safety manager pursuant to section 30 of the Safety Standards Act.

Directive No: D-BP-2013-03

Date of Issue: July 12, 2013

General Details

This directive supersedes Directive D-B6 070402 3 issued on April 3, 2007 and is being issued to clarify the requirements for exemption of Category A, B, C, and G fittings from registration.

Specific Details

Subsection 84(2) of the Power Engineers, Boiler, Pressure Vessel and Refrigeration Safety Regulation (the Regulation) requires that fittings be registered with a provincial safety manager of the BC Safety Authority. Subsection 84(8) of the Regulation allows the Safety Manager to exempt fittings from registration.

The exemption of fittings from registration shall apply only to piping components complying with the standards and specifications listed in the ASME B31 Pressure Piping Codes and to certified pressure relief devices complying with the requirements of the ASME Boiler and Pressure Vessel Codes.

The registration exemption shall apply to specific fittings in categories A, B, C, and G:

Category A

- Pipe fittings, including couplings, tees, elbows, wyes, plugs, unions, nipples, pipe caps, and reducers complying with a standard listed in Table 126.1 of ASME B31.1, Table 326.1 of ASME B31.3, Table 526.1 of ASME B31.5, or Table 926.1 of ASME B31.9

→ Category B

- Flanges complying with a standard listed in Table 126.1 of ASME B31.1, Table 326.1 of ASME B31.3, Table 526.1 of ASME B31.5, or Table 926.1 of ASME B31.9

Category C

- Valves complying with a standard listed in Table 126.1 of ASME B31.1, Table 326.1 of ASME B31.3, Table 526.1 of ASME B31.5, or Table 926.1 of ASME B31.9

Category G

- Pressure-relief devices marked with an ASME or NB stamp

Pursuant to the power granted to the provincial Safety Manager under subsection 84(8) of the

DIRECTIVE NO: D-BP-2013-03

Page 1 of 3

505 SIXTH STREET, SUITE 200, NEW WESTMINSTER, BRITISH COLUMBIA, CANADA V3L 0E1
Toll Free: 1-866-566-7233 Fax: 778-396-2064 Web Site: www.safetyauthority.ca E-mail: info@safetyauthority.ca



DIRECTIVE

Regulation, it is hereby directed that only category A, B, C, and G fittings, as described above, are exempt from the registration requirements of Subsection 84(2) of the Regulation. This directive is effective immediately.

Nonstandard or unlisted piping components not complying with the specifications and standards listed the ASME B31 Code for Pressure Piping or pressure relief devices not in compliance with the requirements of the ASME Boiler and Pressure Vessel Code, shall be registered in accordance with Section 84(2) by submitting the documentation specified in CSA B51 section 4.2.6(b).

A handwritten signature in black ink, appearing to read "Ed Hurd".

Ed Hurd P.Eng.
Provincial Safety Manager, Boilers

For more information on the British Columbia Safety Authority, please visit our web site at:
www.safetyauthority.ca

References: Relevant Legislation

Power Engineers, Boiler, Pressure Vessel & Refrigeration Safety Regulation

84 (1) For this section, "pressure retaining equipment" means a boiler or pressure vessel, or pressure piping system.

(2) The design of all boilers, pressure vessels, fittings and pressure piping, to which this regulation applies, must be registered with a provincial safety manager.

(3) Subsection (2) does not apply to pressure piping that is
(a) NPS 3 or less, or
(b) in a fluid plant.

(4) To register a design, the owner, licensed contractor, consulting engineer, manufacturer or designer of the pressure retaining equipment must submit, for review by a provincial safety manager, an application containing all drawings, design specifications, calculations and codes of conformance as required by a provincial safety manager.

(5) Registration of pressure retaining equipment must be obtained before construction is commenced.

(6) If, in the opinion of a provincial safety manager, a design registered under subsection (2) is subsequently found to be defective in any detail, the design must be revised by the person

DIRECTIVE NO: D-BP-2013-03

Page 2 of 3

505 SIXTH STREET, SUITE 200, NEW WESTMINSTER, BRITISH COLUMBIA, CANADA V3L 0E1
Toll Free: 1-866-566-7233 Fax: 778-396-2064 Web Site: www.safetyauthority.ca E-mail: info@safetyauthority.ca

FRM-1126-04 (2011-10-18)



DIRECTIVE

who submitted the design and those revisions must be approved by the provincial safety manager.

(7) The registration of a pressure retaining equipment design does not relieve the equipment manufacturer of liability for the design and construction of the pressure retaining equipment.

(8) A provincial safety manager may exempt fitting designs from registration under subsection (2).

Office of the Fire Commissioner
Inspections and Technical Services (ITS)



**Exemption from Registration Requirements for
Categories A, B, C and G Category Fittings**

Date Issued: January 15, 2018
OFC ITS 18 – 001

In an effort to better align Manitoba's requirements for pressure piping components and pressure relief valves with other provincial authorities, effective April 1, 2017, Category A, B, C and G fittings meeting the requirements in this bulletin no longer require registration with Inspections and Technical Services.

The exemption from the registration requirements identified in paragraph 4.2 of the *CSA B51 code*, and paragraphs, and paragraphs 22(1)(e) and (f) of the *Steam and Pressure Plants Regulation* apply to:

1. Piping components complying with the standards and specifications listed in ASME B31 Pressure Piping Codes, as identified in Category A, B and C below:

Category A

- Pipe fittings, including couplings, tees, elbows, wyes, plugs, unions, nipples, pipe caps, and reducers complying with a standard listed in Table 126.1 of ASME B31.1, Table 326.1 of ASME B31.3, Table 526.1 of ASME B31.5, or Table 926.1 of ASME B31.9

→ Category B

- Flanges complying with a standard listed in Table 126.1 of ASME B31.1, Table 326.1 of ASME B31.3, Table 526.1 of ASME B31.5, or Table 926.1 of ASME B31.9

Category C

- Valves complying with a standard listed in Table 126.1 of ASME B31.1, Table 326.1 of ASME B31.3, Table 526.1 of ASME B31.5, or Table 926.1 of ASME B31.9

2. Certified pressure relief devices complying with ASME Boiler and Pressure Vessel Codes, as identified in Category G below:

Category G

- Pressure-relief devices marked with an ASME or NB stamp

Non-standard or unlisted piping components that do not comply with the specifications and standards listed in the ASME B31 Pressure Piping codes, and pressure relief devices that do not comply with the requirements of the ASME Boiler and Pressure Vessel Code, will continue to be required to be registered in accordance with the requirements of the CSA B-51 standard, and the *Steam and Pressure Plants Regulation* by submitting the documentation specified in CSA B51 section 4.2.8(b) to the following address:

Attn: Inspection and Technical Services
Office of the Fire Commissioner
508-401 York Avenue
Winnipeg, MB R3C 0P8

Note: Category A, B, C and G fittings that fall under the exemption of this bulletin will not be considered for registration. Clients who submit applications that contain exempt fittings will be notified, and their applications will either be returned, or securely disposed of by ITS.

Reference Documents

- *The Steam and Pressure Plants Act and Regulation*
- *CSA B51 – Boiler, pressure vessel and pressure piping code*

508 - 401 York Avenue
Winnipeg Manitoba R3C 0P8
T: 204 948-3373
F: 204 948-2309
Toll Free: 1-866-688-8186 (in Manitoba only)
24 Hour Emergency Line: 204 931-2192
Website: www.firecomm.gov.mb.ca

